

YOLEN
永联阀门集团
YONGLIAN VALVE GROUP



YONGLIAN
VALVE GROUP

永联阀门集团

招商手册

浙江永联阀门集团有限公司
ZHEJIANG YONGLIAN VALVE GROUP CO.,LTD.

地址: 温州市经济技术开发区滨海园区五道259号
Address: No. 259, 5th Road, Binhai Park, Wenzhou Economic and Technological Development Zone
电话Tel: 0577-8681 0423/2886 6111
传真Fax: 0577-8682 2423
网址Web: www.yonglian.com.cn www.f46.cn
邮箱Email: yl@f46.cn



扫码了解更多

>
MERCHANT
HANDBOOK



打造工业阀门信赖品牌!

Create a trusted brand of industrial valves!

“永联”历经40多年风雨沉淀，是“中国阀门城”温州龙湾第一个缔造生产衬氟防腐阀门的民企；也是第一个通过集体改制后同国有制企业技术合作、互利共赢、促进发展的民企代表；更是温州民企率先整合资源，且大胆收购同行业技术、设备和人才的勇者。因此，在衬氟防腐阀门制造领域，永联阀门名副其实的烙上了“老字号”的标签。

其凭借独特的区位、产业、技术及深厚的企业文化底蕴等优势，成为了中国工业防腐阀门制造业的先锋者。为国内石油、化工、水利、电力、制药及矿山冶炼、造纸等装置设备工程提供了高品质的衬氟防腐阀门系列产品，并备受青睐。

After more than 40 years of wind and rain, "Yonglian" has become the "Valve City of China". The first private enterprise in Longwan, Wenzhou to create and produce fluorine lined anti-corrosion valves; it is also the first representative of a private enterprise to cooperate with state-owned enterprises in technology, achieve mutual benefit and promote development through collective restructuring; Wenzhou private enterprises are the first to integrate resources and boldly acquire technology, equipment, and talents in the same industry. Therefore, in the field of fluorine lined anti-corrosion valve manufacturing, Yonglian valves are truly branded as "time-honored brands".

With its unique location, industry, technology, and profound corporate culture, it has become a pioneer in China's industrial anti-corrosion valve manufacturing industry. For domestic oil, chemical, water conservancy, power, pharmaceutical, mining smelting, papermaking and other equipment engineering projects provide high-quality fluorine lined anti-corrosion valve series products, which are highly favored.



永恒创新 联出四海

ETERNAL INNOVATION
CONNECTS THE WORLD

COMPANY PROFILE 企业简介



创建于1982年



高新技术企业



企业员工200+人



使用面积30000+
平方米



浙江永联阀门集团有限公司创建于1982年，是一家集研发、生产、销售、服务于一体的国家重点高新技术企业。公司座落于有温州经济技术开发区滨海园区，占地面积三万多平方米，现有员工200余人，中级人员12人，高级工程师5人。公司建立了先进的理化试验室，拥有先进的加工设备和精良的检测仪器以及成熟的衬氟技术，专业从事各种衬氟阀门的设计与制造，衬氟塑料衬里阀门是本公司特色系列产品之一。

产品涵盖氟塑料衬里截止阀、球阀、隔膜阀、蝶阀、止回阀、管夹阀等40多个系列，960余种产品。主要产品有：闸阀、截止阀、球阀、蝶阀、旋塞阀、隔膜阀、节流阀、调节阀；石油、石化、硫酸、冶炼、电站、钢厂、煤化工等系统专用阀；金属衬塑阀门及特种金属材料阀门；金属和非金属耐腐蚀泵；特种不锈钢管道和钢塑复合管及配件。

产品广泛应用于石油、化工、冶金、电力等行业，并出口欧美、俄罗斯、非洲、东南亚、中东和日本等国家和地区，产品质量稳定可靠，深受用户好评。多年来，公司一直恪守“以管理规范为基础，以市场需求为导向，以保证质量求生存，以客户满意为宗旨，以产品创新促发展”的经营宗旨，坚持“以人为本、和谐发展、创造双赢”的管理理念，广纳贤才良士，倡导人性化管理，为各类人才的发展营造良好的空间，在长期的市场竞争中，以优异的产品质量扩大了市场，赢得了广大用户的信赖和赞誉。

公司引进国内外先进的制造工艺和严密的质量管理体系，产品设计新颖、设备精良、检测完备，已获得中华人民共和国特种设备制造许可证A1级、欧盟CE认证、UL认证、GB/T 19001-2016质量体系认证、GB/T 45001-2020职业健康安全管理体系认证、GB/T 24001-2016环境管理体系认证、浙江制造认证，并被授予国家高新技术企业、浙江省“专精特新”中小企业、浙江省创新型中小企业、浙江省科技型企业、温州市企业技术研究开发中心、AA浙江省守合同重信用企业、浙江省阀门协会会员单位等众多荣誉。

公司始终走“产、学、研”道路，自主创新、自主研发，已成功开发“大口径2400mm/2600mm新型高性能衬氟蝶阀”和“二道新密封平衡式控制阀”。这两项成果已申报国家发明专利，属国内外首创项目，并通过省级技术鉴定，其各项技术指标都领先国内外，它不但技术含量高，而且实用性更强，深受用户认可。

公司发展至今承蒙社会各界人士与广大用户的大力支持，现已成为国内制造“防腐蚀”阀门及管件企业中的骨干企业。面对未来的挑战，公司将以全新的经营理念精心塑造独特的企业文化，以更求实的精神、更好的信誉，更优质的产品和更完善的服务奉献给国内外广大客户。

Zhejiang Yonglian Valve Group Co., Ltd. was founded in 1982 and is a national key high-tech enterprise that integrates research and development, production, sales, and service. The company is located in Binhai Park, Wenzhou Economic and Technological Development Zone, covering an area of over 30000 square meters. It currently has more than 200 employees, including 12 intermediate level personnel and 5 senior engineers. The company has established an advanced physical and chemical laboratory, equipped with advanced processing equipment, sophisticated testing instruments, and mature fluorine lining technology. It specializes in the design and manufacturing of various fluorine lined valves, and fluorine lined plastic lined valves are one of the company's characteristic series products.

Our products cover more than 40 series including fluoroplastic lined globe valves, ball valves, diaphragm valves, butterfly valves, check valves, pipe clamp valves, etc., with over 960 types of products. The main products include gate valves, globe valves, ball valves, butterfly valves, plug valves, diaphragm valves, throttle valves, and regulating valves; Special valves for petroleum, petrochemical, sulfuric acid, smelting, power plants, steel mills, coal chemical and other systems; Metal lined plastic valves and special metal material valves; Metal and non-metal corrosion-resistant pumps; Special stainless steel pipes and steel plastic composite pipes and fittings.

The product is widely used in industries such as petroleum, chemical, metallurgical, and power, and exported to countries and regions such as Europe, America, Russia, Africa, Southeast Asia, the Middle East, and Japan. The product quality is stable and reliable, and is highly praised by users. For many years, the company has adhered to the business philosophy of "based on management norms, guided by market demand, striving for survival by ensuring quality, aiming for customer satisfaction, and promoting development through product innovation". It insists on the management concept of "people-oriented, harmonious development, and creating win-win", recruits talented individuals, advocates humanized management, and creates a good space for the development of various talents. In the long-term market competition, it has expanded the market with excellent product quality and won the trust and praise of a large number of users.

The company has introduced advanced manufacturing processes and rigorous quality management systems from both domestic and foreign sources. Its product designs are innovative, equipment is sophisticated, and testing is complete. It has obtained the Special Equipment Manufacturing License A1 level of the People's Republic of China, the EU CE certification, UL certification, GB/T 19001-2016 Quality System Certification, GB/T 45001-2020 Occupational Health and Safety Management System Certification, GB/T 24001-2016 Environmental Management System Certification, Zhejiang Manufacturing Certification, and has been awarded numerous honors such as National High tech Enterprise, Zhejiang Province "Specialized, Refined, Unique and New" Small and Medium sized Enterprise, Zhejiang Province Innovative Small and Medium sized Enterprise, Zhejiang Province Science and Technology Enterprise, Wenzhou Enterprise Technology Research and Development Center, AA Zhejiang Province Contract abiding and Creditworthy Enterprise, and Zhejiang Province Valve Association Member Unit.

The company has always been committed to the path of "production, learning, and research", with independent innovation and research and development. It has successfully developed the "large-diameter 2400mm/2600mm new high-performance fluorine lined butterfly valve" and the "two-way new sealed balanced control valve". These two achievements have been applied for national invention patents, are pioneering projects at home and abroad, and have passed provincial technical appraisal. Their various technical indicators are leading at home and abroad. They not only have high technical content, but also stronger practicality, and are highly recognized by users.

Thanks to the strong support of people from all walks of life and a wide range of users, the company has become a backbone enterprise in the domestic manufacturing of "anti-corrosion" valves and fittings. In the face of future challenges, the company will carefully shape a unique corporate culture with a new business philosophy, and dedicate itself to domestic and foreign customers with a more pragmatic spirit, better reputation, higher quality products, and more comprehensive services.

MANUFACTURING STRENGTH 智造实力

4^大 优势 Four Advantages

一站式服务

铸（锻）造/精加工/销售/售后

One stop service

Casting (forging)/precision machining/sales/after-sales service

制造装备

高精度CNC数控加工中心

Manufacturing equipment

High precision CNC machining center

制造标准

国标/美标/日标/德标/英标等

Manufacturer standard

GB, API, ANSI, JIS, DIN, BS

品质标准

准确性/精化性

Quality standards

Accuracy/Refinement




Innovation Is Endless

创新是永无止境

TESTING STRENGTH 检测实力

21 大 检测手段 Testing Methods

- 全自动直读光谱仪
Fully automatic direct reading spectrometer
- 手持光谱仪
Handheld spectrometer
- 多功能磁粉探伤仪
Multi functional magnetic particle flaw detector
- 液压万能材料试验机
hydraulic universal material testing machine
- 摆锤式冲击试验机
pendulum impact testing machine
- 拉伸试验机
tensile testing machine
- 洛氏硬度计
Rockwell hardness tester
- 布氏硬度计
Brinell hardness tester
- 便携式里氏硬度计
Portable Leeb hardness tester
- 超声波测厚仪
ultrasonic thickness gauge
- 渗透检测
Penetration Testing
- 超声波探伤仪
ultrasonic flaw detector
- 金相显微镜
metallurgical microscope
- 高温交变湿热试验箱
High and low temperature alternating humidity test chamber
- 阀门寿命试验机
Valve life testing machine
- 熔体流动速率试验机
Melt flow rate testing machine
- 数字超声波探伤仪
Digital ultrasonic flaw detector
- 金相试样切割机
Metallographic sample cutting machine
- 金相试样镶嵌机
Metallographic specimen embedding machine
- 金相试样磨抛机
Metallographic sample grinding and polishing machine
- 流量测试站
Traffic testing station
- 等检验检测设备等。
Waiting for inspection and testing equipment, etc.



Control Quality 质量保证



严格的检测是产品质量的保障
不让一点瑕疵出现

不让质量问题损害我们的品牌是我们的宗旨
我们建立了一整套合理的、有序的检测程序
在“我们追求0故障”思想的指导下
永联绝不让一件不合格的产品出厂
我们相信这既是对客户负责
更是对我们自己负责

Strict testing is the guarantee of product quality
NO single flaw appear
It is our aim: not to let quality problems damage our brand
We have established a set of reasonable and
orderly testing procedures
Under the guidance of the idea of "We pursue zero failures"
YONGLIAN will never let an unqualified product leave the factory
We believe this is a responsibility to our customers
It is also responsibility to ourselves

PRODUCT DISPLAY 部分产品实拍展示

在永联，每一位员工都拥有严谨的工作态度，他们视产品质量为生命，站在用户的角度，深谙“0.1%的不合格品，就是100%的不良品”，这种深植于人心的质量意识，是永联品质的可靠保证。

At Yonglian, every employee has a rigorous work attitude. They regard product quality as their life, stand from the perspective of users, and understand that "0.1% of non-conforming products are 100% defective products". This quality awareness deeply rooted in people's hearts is the reliable guarantee of Yonglian's quality.

仓储实力

Storage Capacity

成品仓库**3000⁺**平方

Nearly 3,000m² of inventory

仓储成品规格近**2000⁺**种

Storage of nearly 2000 kinds of finished products

常备库存成品**50⁺**万只以上

Over 500K+ pcs of each item in stock

常规产品当天下单可发货

Same-day shipping for standard products upon order



QUALIFICATION HONOR 资质荣誉



永联阀门集团创始人“沈永礼”被行业协会评为温州龙湾衬氟阀门创始人，以兹感激其为衬氟阀门行业做出的巨大贡献，同时让我们一步一个脚印走向荣耀与辉煌，力争成为阀门行业的领军者，让我们随着岁月的年轮，细数那些属于我们的荣耀。



目前公司已获得中华人民共和国特种设备制造许可证A1级、欧盟CE认证、UL认证、GB/T 19001-2016质量体系认证、GB/T45001-2020职业健康安全管理体系认证、GB/T 24001-2016环境管理体系认证、浙江制造认证，并被授予国家高新技术企业、浙江省“专精特新”中小企业、浙江省创新型中小企业、浙江省科技型企业、温州市企业技术研究中心、AA浙江省守合同重信用企业、浙江省阀门协会会员单位等众多荣誉。

Shen Yongli, the founder of Yonglian Valve Group, has been recognized by the industry association as the founder of Wenzhou Longwan fluorine lined valves. We are grateful for his tremendous contributions to the fluorine lined valve industry, and he has taken us step by step towards glory and glory, striving to become a leader in the valve industry. Let us count down those honors that belong to us with the passage of time.

At present, the company has obtained the Special Equipment Manufacturing License A1 level of the People's Republic of China, EU CE certification, UL certification, GB/T 19001-2016 Quality System certification, GB/T45001-2020 Occupational Health and Safety Management System certification, GB/T 24001-2016 Environmental Management System certification, Zhejiang Manufacturing Certification, and has been awarded numerous honors such as National High tech Enterprise, Zhejiang Province "Specialized, Refined, Unique and New" Small and Medium sized Enterprise, Zhejiang Province Innovative Small and Medium sized Enterprise, Zhejiang Province Science and Technology Enterprise, Wenzhou Enterprise Technology Research and Development Center, AA Zhejiang Province Contract abiding and Creditworthy Enterprise, Zhejiang Province Valve Association Member Unit, etc.

Trustworthy

值得信赖



APPLICATION AREA 应用领域

永联产品使用较为广泛，产品覆盖全国各地并远销东南亚各国和中东地区，应用于化工、石油、冶炼、造纸、医药、水电、新能源等领域。公司本着重信誉，守合同的原则，在长期的市场竞争中，以优异的产品质量扩大了市场，赢得了广大用户的信赖和赞誉。

Yonglian products are widely used, covering all parts of the country and exported to Southeast Asian countries and the Middle East. They are used in chemical, petroleum, smelting, paper, medicine, hydropower, new energy and other fields. Based on the principle of credit standing and contract compliance, the company has expanded the market with excellent product quality and won the trust and praise of the majority of users in the long-term market competition.

销售额 **30000⁺** 万元
Sales revenue of over 300 million yuan

服务客户 **3000⁺** 个
Serving over 3000 customers

应用领域 **40⁺** 个
40+application areas



CONTROL VALVE SERIES 控制阀系列

打造工业阀门信赖品牌!
Create a trusted brand of industrial valves!

制造标准: 国标/美标/日标/德标/英标等
公称口径: 10mm~4000mm及1/2"~160"
公称压力: 0.25MPa~76.0MPa/150Lb~4500Lb/10K~320K
使用温度: -196°C~816°C
产品材质: WCB, A105, LCB, LF2, WC6, F11, WC9, F22, QT450, ZG1Cr5Mo, F5, ZG20CrMoV, ZG15Cr1Mo1V, 12Cr1MoV, C12A, F91, F92, CF8, F304, CF8M, F316, CF3, F304L, CF3M, F316L, CF8C, F347, F304H, F316H, F321H, 4A, F51, 5A, F53, Inconel, Monel, 铜合金(Copper alloy), 钛合金(Titanium alloy), 哈氏合金(Hastelloy alloy), 镍合金(Nickel alloy)等

内衬材质: PTFE, FEP, PFA, F501等

适用工况: 石油、化工、天然气、电站、核电、军工、市政、冶金、建筑、制药、造纸、煤矿、水泥、排污、环保、新能源等行业

驱动选配: 手动、蜗轮、气动、电动、液动等

Manufacturer's standard: GB, DIN, API, ANSI, JIS, BS etc.
Nominal pressure: 10mm~4000mm及1/2"~160"
Working pressure: 0.25MPa~76.0MPa/150Lb~4500Lb/10K~320K
Usage temperature: -196°C~816°C
Lining material: PTFE, FEP, PFA, F501 etc.

Applicable working conditions: petroleum, chemical, natural gas, power plants, nuclear power, military, municipal, metallurgical, construction, pharmaceutical, papermaking, coal mining, cement, pollution discharge, environmental protection, new energy and other industries

Drive options: manual, worm gear, pneumatic, electric, hydraulic, etc



电动衬氟法兰蝶阀
Electric fluorine lined flange butterfly valve



PTFE 电动衬氟对夹半衬蝶阀
FEP Electric fluorine-lined coupler
PFA semi-lined butterfly valve
D971 F501

PTFE 电动衬氟对夹蝶阀
FEP Electric fluorine-lined
PFA pinch butterfly valve
D971 F501

PTFE 气动衬氟法兰式蝶阀
FEP Pneumatic Fluorine lined
PFA flange butterfly valve
D641 F501

PTFE 气动衬氟对夹式蝶阀
FEP Pneumatic Fluorine lined
PFA clamp butterfly valve
D671 F501



电动衬氟球阀
Electric fluorine lined ball valve



PTFE 电动衬氟三通球阀
FEP Electric fluorine lined
PFA three-way ball valve
Q945 F501

PTFE 电动衬氟法兰球阀
FEP Electric fluorine lined
PFA flange ball valve
Q941 F501

PTFE 气动衬氟法兰球阀
FEP Pneumatic Fluorine lined
PFA flanged ball valve
Q641 F501

气动锻钢衬氟球阀
Pneumatic forged steel lined
fluorine ball valve



ZDLPF-16K/BW
电动衬氟单座波纹管调节阀
Electric fluorine lined single seat
corrugated pipe regulating valve



ZJHPMF-16K
气动衬氟单座调节阀
Electric fluorine lined single
seat regulating valve

JL641F-16KW
气动氯气波纹管截止阀
Pneumatic chlorine bellows
globe valve

PTFE 气动衬氟隔膜阀
FEP Pneumatic Fluorine lined
PFA diaphragm valve
G641 F501

FLS45 PTFE 上/下展式放料阀
FEP Up/down spreading
PFA discharge valve
FLX45 F501



D941X 电动衬胶蝶阀
Electric rubber lined butterfly valve



D943H 国标三偏心硬密封蝶阀
GB 3 eccentric hard seal butterfly valve



气动保温调节型硬密封蝶阀
Pneumatic insulation regulating hard seal butterfly valve



气动卡箍卫生球三通球阀
Pneumatic clamp sanitary ball three-way ball valve



气动氧球阀
Pneumatic oxygen ball valve



气动法兰V型球阀
Pneumatic flange V-shaped ball valve



电动软密封闸阀
Electric soft seal gate valve



气动对夹式软密封蝶阀
Pneumatic clamp type soft seal butterfly valve



气动高温蝶阀
Pneumatic high-temperature butterfly valve



气动衬胶法兰蝶阀
Pneumatic lined rubber flange butterfly valve



Z941Y 电动不锈钢闸阀
Electric stainless steel gate valve



气动刀闸阀
Pneumatic knife gate valve



气动截止阀
Pneumatic globe valve



气动硬密封上展阀
Pneumatic hard seal expansion valve



Q947 电动高压锻造球阀
Electric high-pressure forged ball valve



Q944 电动三通球阀
Q945 Electric three-way ball valve



Q641Y 气动硬密封球阀
Pneumatic hard seal ball valve



气动单座调节阀
Single-seat pneumatic control valve



气动薄膜调节阀
Pneumatic diaphragm control valve



焊接式套筒调节阀
Welded sleeve control valve



电动套筒调节阀
Electric sleeve control valve

FLUORINE LINED VALVE SERIES 衬氟阀门系列

打造工业阀门信赖品牌!
Create a trusted brand of industrial valves!

制造标准: 国标/美标/日标/德标/英标等
公称口径: 10mm~4000mm及1/2"~160"
公称压力: 0.25MPa~76.0MPa/150Lb~4500Lb/10K~320K
使用温度: -196°C~816°C
产品材质: WCB, A105, LCB, LF2, WC6, F11, WC9, F22, QT450, ZG1Cr5Mo, F5, ZG20CrMoV, ZG15Cr1Mo1V, 12Cr1MoV, C12A, F91, F92, CF8, F304, CF8M, F316, CF3, F304L, CF3M, F316L, CF8C, F347, F304H, F316H, F321H, 4A, F51, 5A, F53, Inconel, Monel, 铜合金(Copper alloy), 钛合金(Titanium alloy), 哈氏合金(Hastelloy alloy), 镍合金(Nickel alloy)等

内衬材质: PTFE, FEP, PFA, F501等

适用工况: 石油、化工、天然气、电站、核电、军工、市政、冶金、建筑、制药、造纸、煤矿、水泥、排污、环保、新能源等行业

驱动选配: 手动、蜗轮、气动、电动、液动等

Manufacturer's standard: GB, DIN, API, ANSI, JIS, BS etc.
Nominal pressure: 10mm~4000mm及1/2"~160"
Working pressure: 0.25MPa~76.0MPa/150Lb~4500Lb/10K~320K
Usage temperature: -196°C~816°C
Lining material: PTFE, FEP, PFA, F501 etc.

Applicable working conditions: petroleum, chemical, natural gas, power plants, nuclear power, military, municipal, metallurgical, construction, pharmaceutical, papermaking, coal mining, cement, pollution discharge, environmental protection, new energy and other industries

Drive options: manual, worm gear, pneumatic, electric, hydraulic, etc



D341 PTFE 衬氟蜗轮法兰蝶阀
FEP Fluorine lined worm
PFA wheel flange butterfly valve
F501



DC 341 PTFE 衬氟加长杆法兰蝶阀
FEP Fluorine-lined extended rod
PFA flange butterfly valve
F501



D371 PTFE 带信号反馈衬氟对夹蝶阀
FEP Butterfly valve with signal
PFA feedback lined Fluorine clamp
F501



手动凸耳式衬氟蝶阀
Manual lug type fluorine lined
butterfly valve



D341 PTFE 衬氟蜗轮法兰蝶阀
FEP Fluorine lined worm
PFA wheel flange butterfly valve
F501



Q41 PTFE 衬氟手动法兰球阀
FEP Fluorine-lined manual
PFA flanged ball valve
F501



衬氟斜杆放料球阀
Fluorine lined inclined rod
discharge ball valve



Q41 PTFE 衬氟法兰高平台球阀
FEP Fluorine lined flange high
PFA platform ball valve
F501



衬氟高平台卡箍球阀
Fluorine lined high platform
clamp ball valve



G41 PTFE 衬氟手动隔膜阀
FEP Fluorine-lined manual
PFA diaphragm valve
F501



G41J 衬胶隔膜阀
Rubber lined diaphragm valve



Z41 PTFE 衬氟闸阀
FEP Fluorine-lined
PFA gate valve
F501



J541 PTFE 衬氟伞齿轮截止阀
FEP Fluorine lined bevel
PFA gear globe valve
F501



J41 PTFE 衬氟手动截止阀
FEP Fluorine-lined manual
PFA globe valve
F501



H44 PTFE 衬氟旋启式止回阀
FEP Fluorine-lined swing
PFA check valve
F501



H74 PTFE 衬氟对夹旋启式止回阀
FEP Fluorine lined rotary
PFA check valve
F501



H76 PTFE 衬氟对夹双瓣式止回阀
FEP Fluorine lined double-
PFA flap check valve
F501



H71 PTFE 衬氟对夹升降式止回阀
FEP Fluorine-lined clamp lift
PFA check valve
F501



J44 PTFE 衬氟角式截止阀
FEP Fluorine-lined angle
PFA globe valve
F501



J45 PTFE 衬氟直流式截止阀
FEP Fluorine-lined straight flow
PFA globe valve
F501



手动氯气截止阀
Manual chlorine gas
globe valve



H40 PTFE 衬氟升降浮球式止回阀
FEP Fluorine-butterfly lift float
PFA ball check valve
F501



H42 PTFE 衬氟对夹升降式止回阀
FEP Fluorine-lined lift
PFA check valve
F501



GL41 PTFE 衬氟Y型过滤器
FEP Fluorine lined
PFA Y-type filter
F501



衬氟蓝式过滤器
Fluorine-blue lined filter



X43 PTFE 衬氟旋塞阀
FEP Fluorine lined
PFA cock valves
F501



X343 PTFE 不锈钢半衬旋塞阀(卡套式)
Fluorine-lined plug
valve (sleeve type)



H41 PTFE 衬氟升降式止回阀
FEP Fluorine-lined lift
PFA check valve
F501



SJ41 PTFE 衬氟四通视镜
FEP Fluorine-lined
PFA tetramer
F501



SZ41 PTFE 衬氟视盅
FEP Fluorine-butterfly
PFA cup
F501



GJ41X 衬胶管夹阀
Rubber lined clamp valve



GJ841X 衬胶气动管夹阀
Rubber lined pneumatic
tube clip valve

FLUORINE LINED VALVE SERIES 衬氟泵及管道系列

打造工业阀门信赖品牌!
Create a trusted brand of industrial valves!

制造标准: 国标/美标/日标/德标/英标等
公称口径: 10mm~4000mm及1/2"~160"
公称压力: 0.25MPa~76.0MPa/150Lb~4500Lb/10K~320K
使用温度: -196°C~816°C
产品材质: WCB, A105, LCB, LF2, WC6, F11, WC9, F22, QT450, ZG1Cr5Mo, F5, ZG20CrMoV, ZG15Cr1Mo1V, 12Cr1MoV, C12A, F91, F92, CF8, F304, CF8M, F316, CF3, F304L, CF3M, F316L, CF8C, F347, F304H, F316H, F321H, 4A, F51, 5A, F53, Inconel, Monel, 铜合金(Copper alloy), 钛合金(Titanium alloy), 哈氏合金(Hastelloy alloy), 镍合金(Nickel alloy)等

内衬材质: PTFE, FEP, PFA, F501等

适用工况: 石油、化工、天然气、电站、核电、军工、市政、冶金、建筑、制药、造纸、煤矿、水泥、排污、环保、新能源等行业

驱动选配: 手动、蜗轮、气动、电动、液动等

Manufacturer's standard: GB, DIN, API, ANSI, JIS, BS etc.
Nominal pressure: 10mm~4000mm及1/2"~160"
Working pressure: 0.25MPa~76.0MPa/150Lb~4500Lb/10K~320K
Usage temperature: -196°C~816°C
Lining material: PTFE, FEP, PFA, F501 etc.

Applicable working conditions: petroleum, chemical, natural gas, power plants, nuclear power, military, municipal, metallurgical, construction, pharmaceutical, papermaking, coal mining, cement, pollution discharge, environmental protection, new energy and other industries

Drive options: manual, worm gear, pneumatic, electric, hydraulic, etc



50FY-25
氟合金液下泵
Fluoride-alloy liquid pump



衬氟直管
Fluorine-butterfly straight pipe



MDPF50-32-16
氟合金磁力离心泵
Fluoroalloy magnetic centrifugal pump



IHF125-100-160
氟合金离心泵
Fluoroalloy centrifugal pump



MDPF50-32-16
衬氟磁力泵
Fluorine-lined magnetic pump



不锈钢衬氟软管
Stainless steel fluorine lined hose



不锈钢衬氟补偿器
Stainless steel fluorine lined compensator



衬氟异径管
Fluorine lined reducer



衬氟弯头
Fluorine-butterfly elbow



衬氟三通
Fluorine-butterfly tee



衬氟四通
Fluorine-butterfly four-way

UNIVERSAL VALVE SERIES 通用阀门系列

打造工业阀门信赖品牌!
Create a trusted brand of industrial valves!

制造标准: 国标/美标/日标/德标/英标等
公称口径: 10mm~4000mm及1/2"~160"
公称压力: 0.25MPa~76.0MPa/150Lb~4500Lb/10K~320K
使用温度: -196°C~816°C
产品材质: WCB, A105, LCB, LF2, WC6, F11, WC9, F22, QT450, ZG1Cr5Mo, F5, ZG20CrMoV, ZG15Cr1Mo1V, 12Cr1MoV, C12A, F91, F92, CF8, F304, CF8M, F316, CF3, F304L, CF3M, F316L, CF8C, F347, F304H, F316H, F321H, 4A, F51, 5A, F53, Inconel, Monel, 铜合金(Copper alloy)、钛合金(Titanium alloy)、哈氏合金(Hastelloy alloy)、镍合金(Nickel alloy)等

内衬材质: PTFE, FEP, PFA, F501等

适用工况: 石油、化工、天然气、电站、核电、军工、市政、冶金、建筑、制药、造纸、煤矿、水泥、排污、环保、新能源等行业

驱动选配: 手动、蜗轮、气动、电动、液动等

Manufacturer's standard: GB, DIN, API, ANSI, JIS, BS etc.
Nominal pressure: 10mm~4000mm及1/2"~160"
Working pressure: 0.25MPa~76.0MPa/150Lb~4500Lb/10K~320K
Usage temperature: -196°C~816°C
Lining material: PTFE, FEP, PFA, F501 etc.

Applicable working conditions: petroleum, chemical, natural gas, power plants, nuclear power, military, municipal, metallurgical, construction, pharmaceutical, papermaking, coal mining, cement, pollution discharge, environmental protection, new energy and other industries

Drive options: manual, worm gear, pneumatic, electric, hydraulic, etc



偏心半球阀
Eccentric hemispherical valve



手动对夹V型球阀
Manual clamp V-shaped ball valve



Q47Y 手动硬密封固定球阀
Manual hard seal fixed ball valve



Q347 三片式固定式球阀
3PC fixed ball valve



Q347 两片式不锈钢固定球阀
2PC stainless steel fixed ball valve



Q347 锻钢球阀
Forged steel ball valve



高平台球阀
High platform ball valve



Q071 高平台薄型球阀
High platform thin ball valve



锻钢三片式法兰球阀
Forged steel three-piece flange ball valve



锻钢球阀
Forged steel ball valve



大口径通风蝶阀
Large caliber ventilation butterfly valve



蜗轮不锈钢蝶阀
Worm gear stainless steel butterfly valve



D373H 对夹蝶阀
Butterfly valve to the clamp



D363H 对焊蝶阀
Butt welding butterfly valve



手动对夹软密封蝶阀
Manual clamping soft seal butterfly valve



手动刀闸阀
Manual knife gate valve



国标法兰闸阀
GB flange gate valve



美标伞齿轮闸阀
API umbrella gear gate valve



美标法兰闸阀
API flange gate valve



YJ41W 氧气截止阀
Oxygen globe valve



WJ41Y 波纹管截止阀
Bellows globe valve



锻钢截止阀
Forged steel globe valve



高压旋启式止回阀
High pressure swing check valve



焊接闸阀
Welded gate valve



不锈钢软密封闸阀
Stainless steel soft seal gate valve



锻钢低温闸阀
Forged steel low-temperature gate valve



锻钢闸阀
Forged steel gate valve



H41W 升降式止回阀
H41W lift check valve



H44 旋启式法兰止回阀
H44 swing flange check valve



H42 立式法兰止回阀
H42 vertical flange check valve



H71 对夹升降式止回阀
H71 Wafer lifting check valve



J41W 国标法兰截止阀
GB flange globe valve



J41Y 美标截止阀
API globe valve



国标低温截止阀
GB low temperature globe valve



J41B 氨用截止阀
Ammonia globe valve



H74 对夹圆片止回阀
H74 wafer check valve



H76 对夹双瓣止回阀
H76 wafer double check valve



焊接止回阀
Welded check valve



GL41W Y型过滤器
Y-type filter

THREADED INSTRUMENT VALVE SERIES

丝扣仪表阀门系列

打造工业阀门信赖品牌!
Create a trusted brand of industrial valves!

制造标准: 国标/美标/日标/德标/英标等
公称口径: 10mm~4000mm及1/2"~160"
公称压力: 0.25MPa~76.0MPa/150Lb~4500Lb/10K~320K
使用温度: -196°C~816°C
产品材质: WCB, A105, LCB, LF2, WC6, F11, WC9, F22, QT450, ZG1Cr5Mo, F5, ZG20CrMoV, ZG15Cr1Mo1V, 12Cr1MoV, C12A, F91, F92, CF8, F304, CF8M, F316, CF3, F304L, CF3M, F316L, CF8C, F347, F304H, F316H, F321H, 4A, F51, 5A, F53, Inconel, Monel, 铜合金(Copper alloy), 钛合金(Titanium alloy), 哈氏合金(Hastelloy alloy), 镍合金(Nickel alloy)等

内衬材质: PTFE, FEP, PFA, F501等

适用工况: 石油、化工、天然气、电站、核电、军工、市政、冶金、建筑、制药、造纸、煤矿、水泥、排污、环保、新能源等行业

驱动选配: 手动、蜗轮、气动、电动、液动等

Manufacturer's standard: GB, DIN, API, ANSI, JIS, BS etc.
Nominal pressure: 10mm~4000mm及1/2"~160"
Working pressure: 0.25MPa~76.0MPa/150Lb~4500Lb/10K~320K
Usage temperature: -196°C~816°C
Lining material: PTFE, FEP, PFA, F501 etc.

Applicable working conditions: petroleum, chemical, natural gas, power plants, nuclear power, military, municipal, metallurgical, construction, pharmaceutical, papermaking, coal mining, cement, pollution discharge, environmental protection, new energy and other industries

Drive options: manual, worm gear, pneumatic, electric, hydraulic, etc



气动高压球阀
Pneumatic high-pressure ball valve



一片式球阀
1PC ball valve



二片式球阀
2PC ball valve



三片式丝扣球阀
3PC Screw ball valve



丝扣三通球阀
Screw 3-way ball valve



气动三通球阀
Pneumatic 3-way Ball Valve



二片式高平台球阀
2PC high platform ball valve



三片式高平台球阀
3PC high platform ball valve



H14W卧式止回阀
H14W horizontal check valve



H12W立式止回阀
H12W vertical check valve



电动三片式球阀
Electric 3PC Ball Valve



丝扣闸阀
Threaded gate valve



苏式丝扣截止阀
Su-type screw-thread globe valve



美标丝扣截止阀
API threaded globe valve



Y型过滤器
Y-filter



JOIN CONDITIONS 加盟条件

- 01
- 02
- 03
- 04
- 05
- 06

具备一定的资金实力

认同永联阀门集团的经营理念

满足最低投资额及永联品牌建设的阶段需求

须按照永联阀门集团全国统一的运作方案(形象、企划、营销、推广、设计)

能按要求缴纳品牌保证金

具备合法经营资格及合适的店面场所，一经合作，加盟商须接受永联阀门集团加盟店管理条款及销售服务，并自觉维护永联的品牌、商标、声誉及企业形象

AFFILIATE SUPPORT 加盟支持

携手并进，
共赢未来

营销支持

量身定制开展营销活动，实施方案，全称跟踪服务

区域保护支持

我公司绝不会在同一个地级市设立2个或2个以上销售代理机构，保证加盟合作伙伴的唯一性

样品支持

出样产品实行定金制，减轻开店资金压力

广告宣传支持

提供品牌宣传资料及策划、营销方案

人员培训

提供阀门销售及售后维护人员的系统培训

技术支持

提供国内外阀门标准、阀门技术资料、阀门技术咨询

运营管理支持

提供国内外市场分析，营销指导，相关阀门专业知识培训

WARRANTY COMMITMENT

质保承诺



质保12个月
品质无忧

产品品质承诺 PRODUCT QUALITY COMMITMENT

一、设计制造标准

我公司提供的各类阀门均按GB、JB、SH、HG、CJ等相关的国内标准以及ANSI、JIS、BS、DIN等国外标准设计制造和检查验收。

二、产品质保体系

公司已取得ISO9001:2008质量管理体系认证，具备完善的质保体系。

三、质量控制

对供应商所提供的铸锻件、铸钢件、不锈钢铸件均具有合格的化学成分分析单与物理性能检测单；产品制造严格执行“双三检”制度，不合格零件不转序、不装配、不出厂；总装后按GB13927、GB/T2648、CJ/T3056标准进行强度、密封综合性能测试（介质为水、煤油、气体）；我公司对产品的质量及交货期负责，产品交货之日起质保期为十二个月。对于产品质量引起的后果，我公司承担相应的责任。如因操作不当引起的后果，我公司将以最低成本价对设备进行维护。

售后服务承诺 AFTER-SALES SERVICE COMMITMENT

- 1 明确售后服务的优惠条件及保修的响应时间：在质保期间内在24~36小时（省外48小时）内到达现场维修。质保期满后，明确例行维保时间和各项维修承诺。
- 2 阀门类设备提供免费维修1年并提供在此期限内的免费备件清单，免费维保期间内如发生非人为原因引起的损坏（不可抗力原因除外），我公司将及时免费更换和修理。
- 3 设备要求实行终身包修，免费保修期满后买方如委托我公司进行维护保养，我公司将对设备进行维护更换件（出厂价），并详细列出维保内容。
- 4 我公司提供设备最低使用期限，在此期限内，发生非人为操作原因的重特大事故（不可抗力原因除外），买方有权追究卖方的责任。
- 5 当某种设备停止或改型生产时，我公司事先将停止或改型生产的计划通知买方，使买方有足够的时间采购所需备件；同时我公司免费提供该备件图纸及有关技术参数。

现场免费
指导培训

伴随服务 ACCOMPANYING SERVICE

- 安装调试中负责进行设备维修、操作及对操作维保人员的培训。免费提供上述服务。
- 要求提供的备件：保证设备正常运行的标准配置附件及专用工具，均包含在全套设备的投标价中。
- 我公司本着以客户利益为第一，想客户所想、急客户所急，尽己所能满足客户的要求，做好售后服务。



公司声明

浙江永联阀门集团有限公司设计、生产和制造的产品均依据国家、国际或企业标准执行，任何标准或相关标准都有可能被修订，样本中所引用的内容可能会发生变动，因此公司做如下声明：
公司与任何客户所签合同之前，均必须由双方重新确认各项技术参数，并以书面合同中双方认可的参数为依据履行合同义务。
公司样本资料仅供用户选用时参考，不做为法律依据。
公司保留对样本内容修改的权利，如有修改恕不另行通知。